

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	55	((bearing with sensor with encoder) same holder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 08:54
S2	4	("5428289"   "5873658"   "6094046"   "6595692").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/14 08:56
S3	674	((bearing with sensor) same holder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 09:05
S4	119	S3 and encoder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 09:05
S5	82	(bearing same sensor same encoder same raceway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 09:16
S6	6	("4946295"   "5143458"   "5594334"   "6043643"   "6094046"   "6338576").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/14 09:20
S7	2	("5148104"   "5640087").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/14 09:23
S8	366	g01p003/487.ipc. and (bearing same sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 09:28

S9	26	384/448.ccls. and (bearing same (sensor near holder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 09:47
S10	7	("5663640").URPN.	USPAT	OR	OFF	2008/08/14 09:49
S11	2	("5010290"   "5011303").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/14 09:51
S12	28	"384"/\$.ccls. and (bearing same (sensor near holder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 09:53
S13	222	(bearing same (sensor near holder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 09:53
S14	148	(bearing and (sensor near holder) and (rotation with sensor) and plate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 10:09
S15	355	((detecting with rotational with speed) same sensor same body)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 12:52
S16	0	g01p003.ipc. and (sensor with holder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 18:29
S17	74	g01p003/487.ipc. and (sensor with holder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 18:30

S18	1025	g01p003/487.ipc. and sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/14 18:36
-----	------	--------------------------------	---	----	-----	---------------------

8/ 14/ 2008 9:31:35 PM

C:\ Documents and Settings\ mcharles\ My Documents\ EAST\ Workspaces\ Sensor holder  
with inner outer plates 10589202.wsp